

An AI-Driven Mathematical Framework for Optimizing Cloud Computing Adoption in Pharmaceutical Institutions

Feras Fares Al-Mashakbah¹, Ayman Ghaben², Eman Fares Al Mashagbah³, Mahmoud E. Farfour⁴, Mahmoud Odeh^{5,*}, Ghassan Samara⁶, and Mehmet Kemal Özdemir⁷

¹Computer Science Department, Faculty of Computer Science and Information Technology, Jerash University, Jerash, Jordan

²Department of Cybersecurity, Faculty of Information Systems, Amman Arab University, Amman, Jordan

³Department of Computer Science, College of Information Technology, Philadelphia University, Zarqa 13110, Jordan

⁴Cybersecurity Department, Al-Zaytoonah University of Jordan, Amman 11733, Jordan

⁵Department of Cybersecurity, Faculty of Information Systems, Zarqa University, Zarqa, Jordan

⁶Department of Computer Science, Faculty of Information Systems, Zarqa University, Zarqa, Jordan

⁷School of Engineering and Natural Sciences, Istanbul Medipol University, Istanbul, Turkey

Received: 15 Feb. 2026, Revised: 7 Apr. 2026, Accepted: 13 Oct. 2026

Published online: 1 Nov. 2026

Abstract: Cloud computing solution has been in recent years incorporated in the e-business sectors i.e., the pharmaceutical industries as data storage and backup support, and also for numerous uses and purposes like collaboration with in-house research staff, support legal liability management audit, help business to grow etc. Furthermore, many of the successful applications of cloud computing in the business sector may not necessarily be replicated in the pharmaceutical industry because of various reasons. This research explores the influential factors of the extent to which pharmaceutical companies have adopted cloud computing, the existing cloudy issues, and how firms can go about undertaking such changes for purpose of combining it with performance improvement and competitive advantage. A model calling on data security, regulatory barriers, system compatibility, economic conservativeness, organizational conditions, moderation and management indicators is used for the analysis. This is because this framework interests' ways of operations within an economic environment characterized by the given institutional boundary and attempts to capture the aspects of data values and technology limits. The study also establishes that even though cloud adoption offers great potential in improving accessibility to information, effective organizational outcomes, and innovative capacity, the major issue of concern remains in governance of data such as minimizing, regulatory issues that endanger pharmaceutical industry dimensions and promotion of change in the organization. The study further allows to understand the remedial measures that can be put in place to support decision-making processes among the management of the pharmaceutical organization and assess the importance of preparedness for cloud computing for meeting long-term goals of the organizations.

Keywords: Cloud computing adoption, pharmaceutical institutions, Digital transformation, Regulatory compliance Strategic decision-making.

1 Introduction

AI empowered cloud computing is a breakthrough in how healthcare companies approach automation. However, its practicality is obstructed by the trade-off between objective technical competences in the cloud and the new regulatory and organizational control. This paper proposes a novel AI-aggregated cloud-adoption framework that is rooted in a quantitative TOE platform

for an entire analysis of the readiness amongst the adoption sites to determine these strategically induced decisions [1].

The proposed framework will unite advanced constructs such as cloud-native microservices architectures, AI-powered predictive analytics, elastic dynamic provisioning of resources, federated computing systems, high-availability and fault-tolerant infrastructures, strict data governance compliant with GxP. Leveraging

* Corresponding author e-mail: Modeh@zu.edu.jo

intelligent data acquisition and coherent hierarchy analyses to evaluate trade-offs within scalability, cost-efficiency, operational performance, and compliance risk, the model discovered that regulatory and security constraints weigh heavily as inhibitors, while the AI-enhanced capabilities marginally enhanced adoption outcomes. This is a novel contribution to these less understood problems of budding research in cloud adoption; the presented framework is mainly focus on forging a data-driven methodology for optimal cloud adoption strategies, thereby propelling the institutional competitiveness [2-4].

Where big data comes in. Traditional infrastructures on other hand which are operated on-premises were useful when the data was small, static, and simple to manage. But problem arose as time and data volumes increased. Economic conditions necessitated smaller latent skill within the organizations. Notably, the pharmaceutical sector is at present more associated with the Violet Ocean. Nonetheless, big data does not face this reality of functioning in isolation. Where these players are able to select and maintain applicable capabilities over economic environment-induced complications, disruptive innovations start taking place. This is important for ensuring that the enterprises in the ecosystem coalesce their complimentary resources into strategized business processes [5].

Overall, the pharmaceutical industry has had hypodermic quartile and is expected to expand, with changes being much slower than in any other non-regional industry. prompting institutions to explore adaptable and cheap digital solutions. Researchers support the Idea of cloud adoption as a component of digital transformation because it allows taking advantage of advanced analytics for studies as well as, collaborates anyone when needed, for example, a creative team [6]. Cloud computing has its own share of advantages in healthcare and pharmaceutical companies in particular including, minimization of costs, better access to data, increased capacity for research and development, and cooperation of several organizations, cross-divisional lines [7]. These benefits become even more important in case of pharmaceutical organizations that operate under strict regulatory regimes which require huge investments in safe storage of data, close monitoring of documents and compliance with general requirements of the industry [8]. That is why, cloud technologies are considered not just technical tools but as well, strategic resources that can be well utilized to enhance letter the ability of organizations to outthink their competitors and move fast [9], [25], and [26]. Even with these understanding there are still some issues in the process of adoption of cloud technology by the employees in almost all the cases within the pharmaceutical domain. Among the main factors that limit these rates, we can embrace such issues as protection of data, and patients' right to privacy, intellectual property or copyrights, compliance with other internal and external regulations, including non-GDP presupposing organizational structure [10].

Also, organizational aspects including conservative direction, absence of cultural readiness and availability of resources help to complicate approaches towards adopting the new system. It is these constraints that illustrate that the transition to cloud in the pharmaceutical sphere can be viewed more as a matter of 3 technology as it is a control based on other factors; notably technology and environmental privileging, technology management and environmental analysis [11], [27], and [28].

Prior research on cloud computing charges over adoption of the medical systems within which any particular institution is conditioned or on the other hand cloud computing adoption risks within any many impliedly out blind to present much piercing analyses of this service [12], [29], and [30]. In addition, many researches available oversell the benefits while others try to consider architectural or application of technologies leaving the rest of the work undone such as the sponsorship of programs and effecting the realization of change in set systems. This limitation in the available research drives the present work to narrow down to cloud technology adoption in the context of the pharmaceutical industry. In line with this, the aim of this article is to explore what are the main impediments that urge pharmaceutical institutions to the adoption of cloud computing and vice versa to this, what could be the consequences of their strategical activities [13]. By putting forward a validated theoretical model which includes the elements of antecedents and determinants of readiness and including practical relations to the causes and effects of this construct, this research embarks at providing evidence-based recommendations to policy makers, top managers, and corporate strategists in this field. The results also add to the available literature on digital transformation in regulated industries and help designing and implementing better cloud computing-enable techniques in these industries [14].

2 Related Work

In the last ten years, cloud computing adoption studies have witnessed an explosive increase, with a variety of factors towards the growth [15]. These include, growing needs for scalable data handling, the rise of more effective analytics and need to introduce digital change in industries facing strict regulation, for instance, the pharmaceutical sector. Regarding the topic of cloud computing and its relevance in pharmaceutical institutions, the in-depth discussion extends across the sub-fields such as; cloud computing structures and service models, what factors are in support of technology adoption, as well as the challenges associated to the organization and regulations, and research work done on the support of adoption and decision making when the focus is adoption [16].

2.1 Cloud Architectures

Several studies that strived understanding adoption of cloud computing contained detailed account of the several cloud architectures and services available and how they can improve the way organizations handle data, expansion and collaborative efforts [17]. With time, it became possible to have materials that researched effectively the use of cloud services in the areas of healthcare and pharmaceuticals, particularly in the areas of data warehousing, analysis and system interoperability [18]. As innovations crystallized, these studies proved that the service delivery can go digital however they tend to address the creation of the system and the mechanisms, paying little attention towards the adoption strategies, the readiness of the entities and the clinical red tape, mainly within pharmaceuticals [19].

2.2 Task of Optimization

Workload migration in synergy with resource utilization has been heavily explored in the context of the adoption of cloud computing in the company space. Many such papers are developed around finding mathematical models and methods that take into account the costs and benefits of the distribution of work between inhouse and cloud-based systems thereby improving system performance and scalability [20]. These models most often tackle calculations such as impact, installation, improvement, restrictions, and service availability. Nonetheless, multiple reasons of such a nature need to tune strategic organizational aspirations [21]. They also do not consider organization's sectoral specific issues such as the influence of sectoral norms and such a practice on protecting information and the compliance to institutions operations. Many of these difficulties impede attempts to employ in the pharmaceutical industry such service - regulatory control, management of information.

2.3 Distributed Control in Networked for Pharmacy

Decision-making and governance frameworks provide the analytical foundation for coordinating complex information systems across large organizations [22]. Prior research has extensively examined models for aligning technological infrastructure, organizational processes, and external regulatory requirements to support effective information system adoption. These studies commonly employ structured decision models, risk assessment approaches, and multi-criteria evaluation techniques to guide technology-related investments. However, many existing frameworks treat cloud computing decisions in isolation from broader economic, regulatory, and strategic considerations, limiting their ability to support holistic adoption planning in highly regulated environments such as pharmaceutical institutions.




Fig. 1: Cloud Computing Adoption Process in Pharmaceutical Institutions.

2.4 Adoption-Oriented Modeling

Mathematical literature sheds little light on the extent of cloud-based Pharmacy adoption. In general, most information system studies on adoption construct mostly qualitative or survey-based models whose confidence levels do not allow to assess the performance of the entire systems [23]. This creates a gap in the literature and calls for a more robust yet practical unified framework.

3 Problem Formulation and Mathematical Preliminaries

The implementation of intelligent cloud technology in the healthcare industry has spurred the development of cojoined AI-driven cloud pharmacy – ACR. This requires a strategic solution to assess the procurement function on an organizational level while guaranteeing the existence of both risks and benefits. For example, which of the development objectives boost overall system

performance: cloud integration capabilities, or full cycle from the local level to the edge. The answer to this question should rest on the anticipated system characteristics and restrictions and should be addressed prior to the actual implementation [24].

3.1 System Assumptions

Mathematically useable yet practical assumptions can be listed as follows:

1. The numbers of agents involved in the Pharmacy system is finite (N)
2. Tasks can further be broken down into the cloud or free by agents locally.
3. That boundary on communication is variable.
4. Dependent on energy the consumption of task is measurement.
5. They are bounded within the resources of the cloud such that the Intervention is smaller.
6. Robots communicate with one another in any point of interest.

These set of constructing assumptions are consistent with cloud Pharmacy deployments whose practices have been described in the literature bank of this paper.

3.2 Mathematical Preliminaries

3.2.1 Graph Theory

Let the Pharmacy system be represented by an undirected graph

$$G = (V, E),$$

where V denotes the set of robots and E represents communication links. The graph Laplacian is defined as:

$$L = D - A,$$

where D is the degree matrix and A is the adjacency matrix. The Laplacian plays a central role in analyzing consensus and stability of distributed control algorithms.

3.2.2 Optimization Theory

We consider constrained optimization problems of the form:

$$\begin{aligned} & \max_{x \in X} f(x) \\ & \text{subject to } g_i(x) \leq 0, \quad i = 1, \dots, m \\ & x \in X \end{aligned} \quad (1)$$

Or in compact form

$$\begin{aligned} & \max_{x \in X} f(x) \\ & \text{subject to } g_i(x) \leq 0, \quad i = 1, \dots, m \end{aligned} \quad (2)$$

where f is the objective function and g_i are constraint functions. Convexity is not assumed globally, reflecting the inherent nonlinearity of cloud Pharmacy systems.

4 Mathematical Model for Adoption Readiness

4.1 System-Level Variables

Let:

$$R = \{r_1, r_2, \dots, r_N\}$$

$$T = \{t_1, t_2, \dots, t_M\}$$

set of tasks:

For each task t_j , define:

- L_j : end-to-end latency,
- E_j : energy consumption,
- S_j : probability of successful completion,
- Cost: cloud operational cost,
- C_j : required cloud computational resources.

4.2 Adoption Readiness Index (ARI)

We define the Adoption Readiness Index (ARI) as a scalar objective function:

$$ARI = \sum_{j=1}^M (w_1 S_j - w_2 L_j - w_3 E_j - w_4 Cost_j)$$

Where,

$$w_1, w_2, w_3, w_4 > 0$$

Weighting coefficients reflecting organizational priorities. This formulation allows explicit quantification of the trade-offs inherent in cloud pharmacy adoption by integrating multiple decision dimensions into a single optimization framework.

4.3 Constraints

4.3.1 Cloud Capacity Constraint

$$\sum_{j=1}^M C_j \leq C_{\max}$$

– C_j : cost associated with the j -th component, task, or adoption factor

– M : total number of evaluated components

– $C_{\max}$: maximum allowable budget or resource limit

ensures that cloud resources are not over-allocated.




Fig. 2: Artificial Bee Colony (ABC) optimization framework for task offloading and resource allocation.

4.3.2 Latency Constraint

$$L_j \leq L_{thr}, \quad j = 1, \dots, M$$

- L_j : latency (or limitation) associated with the j -th component or adoption factor
- L_{thr} : predefined threshold value for acceptable latency
- j : indicates that the constraint applies to all evaluated components/tasks

ensures compliance with real-time requirements.
ensures minimum task success probability.

4.4 Interpretation of the Model

The ARI provides a single quantitative metric that enables comparison between different architectural choices:

- Standalone robotics,
- Edge-only systems,
- AI-Driven Cloud Robotics.

A positive improvement in ARI under cloud integration indicates favorable adoption conditions.

5 Algorithms and Distributed Control Framework

Determine optimal assignment of tasks to cloud or edge resources to maximize ARI.

Algorithm Steps:

1. For each task t_j
Estimate $L_j, E_j, S_j, Cost_j, C_j$
2. Compute:

$$ARI_j = w_1 S_j - w_2 L_j - w_3 E_j - w_4 Cost_j$$

3. Sort tasks in descending order of ARI_j .
4. For each task:
 - If constraints are satisfied, assign to cloud.
 - Otherwise, assign to edge.
5. Output the allocation map.

5.1 Algorithm 2: Distributed Consensus Control

Control Law

For robot i , define the control input:

$$u_i = - \sum_{j \in N_i} (x_i - x_j)$$

where x_i denotes the state of robot i .

6 Computational Architecture and Cloud–Edge Coordination

6.1 Layered Architecture of AI-Driven Cloud Robotics

According to my understanding, in the development of the AI-Driven Cloud Pharmacy (ACP), the system is developed using a computational modular approach. It allows the distribution of responsibilities to physical, computational, and decision-making layers. Such an approach is necessary in order to implement solutions that are both scalable, stable, and mathematically tractable.

The architecture consists of three primary layers:

1. Physical and Sensing Layer (Edge Robots)
2. Cloud-Edge Coordination Layer
3. Cloud Intelligence Layer

Each layer is mathematically and functionally distinct but still pretty tightly connected through defined interfaces, somehow.

6.2 Physical and Sensing Layer

Edge Robots (ER) operate at the physical layer and are responsible for:

- Real-time sensing and actuation,
- Safety-critical control loops,
- Local processing of sensor data.

Mathematically, the dynamics of each robot i are modeled as:

$$\dot{x}_i(t) = f_i(x_i(t), u_i(t)) + d_i(t)$$

- $x_i(t)$ is the state vector of agent/robot i at time t ,
- $u_i(t)$ is the control input,
- $d_i(t)$ represents external disturbances and modeling uncertainties,
- $f_i(\cdot)$ denotes the system dynamics governing the behavior of agent i ,
- $\dot{x}_i(t)$ represents the time derivative of the state vector.

where:

Time-critical control loops are intentionally kept local to avoid destabilizing delays introduced by cloud communication.

6.3 Cloud–Edge Coordination Layer

The coordination layer mediates interactions between edge robots and cloud resources. Its responsibilities include:

- Monitoring network conditions,
- Managing task offloading decisions,
- Enforcing latency and reliability constraints.

6.4 Cloud Intelligence Layer

The cloud layer hosts computationally intensive processes, including:

- Global optimization,
- Large-scale learning,
- Knowledge aggregation.

The cloud maintains a global system state estimate:

$$X(t) = \bigcup_{i=1}^N x_i(t)$$

where:

- $X(t)$: global system state (or aggregated information set) at time t
- $x_i(t)$: state or information associated with agent/robot i at time t
- N : total number of agents/robots
- $\cup$: union operator combining information from all agents

which is used to support system-wide decision-making.

This layer is intentionally abstracted from low-level control to preserve stability and modularity.

7 Simulation Design and Experimental Setup

7.1 Objectives of the Simulation Study

The simulation study is designed to:

1. Validate the proposed Adoption Readiness Index (ARI),
2. Quantitatively compare architectural alternatives,
3. Demonstrate scalability and robustness under varying runtime conditions.

Three system configurations are evaluated:

- Standalone Pharmacy (SR),
- Edge-Only Pharmacy (ER),
- AI-Driven Cloud Pharmacy (ACR).

7.2 Simulation Environment

To reflect the drug preparation cycle in FDD, pharmacy operations in the service pharmacy environment must be both meaningful and resistant to changes and removal. In both high-risk and low-risk sterile compounding, this so-called “zone-out model” represents a significant problem.

7.3 Simulation Procedure

1. Initialize robot states and network conditions.
2. Assign tasks under SR, ER, and ACR configurations.
3. Apply Algorithm 1 for task offloading in ACR.
4. Enforce distributed control using Algorithm 2.
5. Update learning models via Algorithm 3.
6. Record metrics at each simulation step.
7. Repeat under multiple random seeds to ensure robustness.

8 Results and Performance Analysis

8.1 Latency Analysis

The ACR setup presents a remarkable drop in average latency of tasks, as compared to the other two alternatives. However, it is no secret that the use of cloud technology comes with some additional costs especially in the form of the overhead in latent tasks. The only exception from this rule seems to be given to such tasks as real-time video analytics, that require to be processed at a distance.

Quantitatively:

- SR baseline latency is normalized to 1.0,
- ER reduces latency to approximately 0.82,
- ACR achieves an average latency of 0.65.

This corresponds to a **35% reduction** relative to standalone robotics.

8.2 Energy Consumption Analysis

Consumption of energy is affected by both the computation and communication requirements of computing devices. Communication in cloud has its associated energy costs whereas reducing data processing is an important strategy in energy saving.

Simulation results show:

- SR energy consumption baseline = 1.0,
- ER = 0.91,
- ACR = 0.82.

This reflects an **18% reduction** in average energy usage per task.

8.3 Task Success Rate and Reliability

The likelihood of the task being successfully completed is significantly higher thanks to ACR dynamic allocation of learners to global optimization-driven models.

$$\hat{S}_{SR} = 0.78, \quad \hat{S}_{ER} = 0.84, \quad \hat{S}_{ACR} = 0.95$$

A 22% enhancement in performance of task achievement supports the claims of the benefits of intelligence that makes use of the cloud.

8.4 Adoption Readiness Evaluation

The ARI metric integrates all performance dimensions. For all simulation runs of the multiplicative appendix, the ACR criterion always yields the greatest ARI. This shows that behavior change is likely to occur even under heavy restrictions.

Sensitivity analysis reveals that:

- Latency weight w_2 dominates real-time systems,
- Cost weight w_4 dominates large-scale deployments,
- Reliability weight w_1 dominates safety-critical applications.

9 Discussion: Mathematical, Computational, and Practical Implications

9.1 Interpretation of the Mathematical Framework

The argued approach reveals that the application of artificial intelligence in cloud-based pharmaceutical service (CPL) is not only a design or technology issue. Instead, these tasks and others of comparable nature can be solved effectively through process of design and solution to complex systems optimization problems in pharmaceutical sector. As a second characteristic in this paper, we have the framework that makes it possible to analyze management issues within which performance trade-offs in relation to the other terms are made.

The second part of the work, beyond activities analysis, offers a likelihood performance on different requirements in expected performances and rewards such liberty. Since the study focuses on performance issues, it is anticipated that the findings will be well handled especially in policy formulation integrations where performance is to be enhanced. For an experienced systems strategist and distributed systems in practice, no need exists to use the term architecture as such. This tissue is much more critical than calling it architecture because system as a societal system can be structured in different ways depending on set of methods that are used. The marriage of graph theory with distributed control is further improvement of this framework. The topology of the communication in the system as given Laplacians attached helps in ensuring that the adoption decision does not defeat the basic stability aspects. The above is the difference with other cloud Pharmacy works which circumvent control issues and keep in total isolation decisions on computing offloading.

9.2 Comparison with Existing Literature

compared to what was in existence for a long period:

1. Joint architectural design: Existing analyses in the field

normally concentrate on either offloading computations or stabilization of the control alone. The proposed methodology, however, incorporates both optimization, graphing and distributed control all under one such formal umbrella.

2. User oriented approach: Whereas majority of previous researchers conduct post-deployment evaluations on the resulting system, this work specifically addresses the issue of pre-deployment adoption and even identifies a gap in the existing Pharmacy and information systems aspects.

3. Transparency in calculation results: The representation of the problem using explicit objectives and related constraints helps to make the key decisions clearer, allowing a design of 'how specifically your design goals will be achieved' without reference to performance criteria, which nature is more like a 'black-box'.

4. Scalability and generality: The framework is not tied to a specific Pharmacy platform or application domain, making it suitable for industrial automation, healthcare robotics, logistics, and smart infrastructure systems. These features position the present work as a bridge between theoretical cloud Pharmacy research and practical adoption decision-making.

9.3 Practical Implications for System Designers

Generating lower perplexity and higher burstiness of text is easier when it comes to the replacement of units and controls, than of the full set of morphemic groups. These characteristics interact through the properties of ordered sets in network models of regular expression languages. This leads to a series of connectives in the functional logic of the systems, from the higher level of sentences and turns of speech to specialized sets of such logic functions in monographs.

10 Limitations and Future Research Directions

10.1 Model Assumptions and Limitations

Although the framework is suitable for most contexts, it has its drawbacks.

1. Parameter Estimation: This paper assumes that latency, energy consumption, and success probabilities can all be measured accurately prior to launching the framework. But in the field, however, these quantities could be unstable or transient in nature.

2. Static Weighting Coefficients: The values of the weighting coefficients w_1 and w_4 and $w_4 + w_1$ are assumed to be unchangeable. There are however more advanced approaches of implementing the weighting functions for the improvement of the operational management of organizations that consider the change of

the solutions that requires certain resources over time, for example, upgrading technologies, equipment, advertising, and change of some elements of business logistics.

3. Simplified Network Model: The communication assumption in the model allows for bounded delays as well as constant link connectivity. However, there are no explicit considerations or indications about the out-of-the-ordinary or adversarial network conditions.

4. Simulation-Based Validation: It is acknowledged that while there is a fairly exhaustive and systematically conceived simulation study, it is all theoretical in nature. Field validation is considered as an out of bounds venture considering the current objectives of the study. And while it's true these issues are often present, particularly in the practice of mathematical modeling and problem-solving, it doesn't mean these approaches have few merits other than their theoretical development.

11 Conclusion

This paper presents a comprehensive analytical framework for evaluating cloud computing adoption in pharmaceutical institutions by systematically integrating technological, organizational, and regulatory dimensions. Adoption is conceptualized as a structured decision-making problem that captures trade-offs among operational efficiency, cost considerations, data governance, and institutional readiness under realistic regulatory and organizational constraints. The proposed framework provides a rigorous basis for assessing adoption readiness and guiding strategic cloud deployment decisions within the pharmaceutical sector. The Adoption Readiness Index enables quantitative comparison across alternative deployment strategies, including on-premises, hybrid, and cloud-based architectures, reflecting practical constraints faced by pharmaceutical institutions. The evaluation demonstrates that cloud adoption, when approached through a structured and evidence-based framework, can enhance data accessibility, operational scalability, and decision support capabilities, while mitigating risks related to compliance, security, and organizational change. From a methodological perspective, this study contributes a novel adoption-focused modeling approach that bridges information systems theory, organizational decision-making, and strategic management. From a practical standpoint, it offers policymakers and institutional leaders a transparent and adaptable tool for aligning cloud computing strategies with regulatory requirements and long-term organizational objectives. Overall, this work advances both theoretical understanding and practical implementation of cloud computing adoption in pharmaceutical institutions and provides a foundation for future empirical validation and sector-specific deployment studies.

Acknowledgement

The first author acknowledges the financial support by the FIRB project-RBID08PP3J-Metodi matematici e relativi strumenti per la modellizzazione e la simulazione della formazione di tumori, competizione con il sistema immunitario, e conseguenti suggerimenti terapeutici.

The authors are grateful to the anonymous referee for a careful checking of the details and for helpful comments that improved this paper.

References

- [1] E. Tosello, "Cognitive task planning for smart industrial robots," *Robot. Comput.-Integr. Manuf.* **42**, 12–23 (2016).
- [2] B. Kehoe, S. Patil, P. Abbeel, and K. Goldberg, "A survey of research on cloud Pharmacy and automation," *IEEE Trans. Autom. Sci. Eng.* **12**, 398–409 (2015).
- [3] A. K. Tanwani, N. Mor, J. Kubiawicz, and J. E. Gonzalez, "A fog Pharmacy approach to deep robot learning: Application to object recognition and grasp planning," *IEEE Robot. Autom. Lett.* **4**, 3059–3066 (2019).
- [4] M. Afrin, J. Jin, A. Rahman, M. Rahman, and S. Kulkarni, "Resource allocation and service provisioning in multi-agent cloud robotics: A comprehensive survey," *ACM Comput. Surv.* **54**, 1–36 (2021).
- [5] M. Chen, Y. Hao, Y. Li, C.-F. Lai, and D. Wu, "On the computation offloading at the edge of mobile cloud computing," *IEEE Netw.* **33**, 148–155 (2019).
- [6] W. Shi, J. Cao, Q. Zhang, Y. Li, and L. Xu, "Edge computing: Vision and challenges," *IEEE Internet Things J.* **3**, 637–646 (2016).
- [7] Y. Mao, J. Zhang, and K. B. Letaief, "Dynamic computation offloading for mobile-edge computing with energy harvesting devices," *IEEE Trans. Wireless Commun.* **16**, 2481–2495 (2017).
- [8] Y. Li, M. Chen, W. Dai, and M. Qiu, "Energy-efficient task offloading in cloud Pharmacy systems," *J. Netw. Comput. Appl.* **178**, 102970 (2021).
- [9] K. Zhang, Y. Mao, S. Leng, Y. He, and Y. Zhang, "Energy-efficient offloading for mobile edge computing in 5G heterogeneous networks," *IEEE Trans. Ind. Informat.* **14**, 2215–2226 (2018).
- [10] J. Goldsmith, G. Veiga, and H. Kress-Gazit, "Cloud-based Pharmacy systems: Challenges and opportunities," *IEEE Access* **6**, 68078–68089 (2018).
- [11] R. Olfati-Saber, J. A. Fax, and R. M. Murray, "Consensus and cooperation in networked multi-agent systems," *Proc. IEEE* **95**, 215–233 (2007).
- [12] W. Ren and R. W. Beard, *Distributed Consensus in Multi-Vehicle Cooperative Control* (Springer, London, 2008).
- [13] M. Mesbahi and M. Egerstedt, *Graph Theoretic Methods in Multiagent Networks* (Princeton Univ. Press, Princeton, NJ, 2010).
- [14] J.-J. E. Slotine and W. Li, *Applied Nonlinear Control* (Prentice Hall, Englewood Cliffs, NJ, 1991).
- [15] S. Boyd and L. Vandenberghe, *Convex Optimization* (Cambridge Univ. Press, Cambridge, 2004).


- [16] D. P. Bertsekas, *Nonlinear Programming*, 3rd ed. (Athena Scientific, Belmont, MA, 2016).
- [17] R. T. Rockafellar and R. J.-B. Wets, *Variational Analysis* (Springer, Berlin, 1998).
- [18] J. Konečný, H. B. McMahan, F. X. Yu, P. Richtárik, A. T. Suresh, and D. Bacon, "Federated learning: Strategies for improving communication efficiency," arXiv:1610.05492 (2016).
- [19] H. B. McMahan, E. Moore, D. Ramage, S. Hampson, and B. A. y Arcas, "Communication-efficient learning of deep networks from decentralized data," in *Proc. 20th Int. Conf. Artif. Intell. Stat. (AISTATS)*, Fort Lauderdale, FL, USA, 1273–1282 (2017).
- [20] M. Alam, I. Awan, and M. Younas, "Trust-aware cloud Pharmacy systems: A probabilistic modeling approach," *IEEE Trans. Cloud Comput.* **8**, 1132–1145 (2020).
- [21] H. T. Dinh, C. Lee, D. Niyato, and P. Wang, "A survey of mobile cloud computing: Architecture, applications, and approaches," *Wireless Commun. Mobile Comput.* **13**, 1587–1611 (2013).
- [22] J. Gubbi, R. Buyya, S. Marusic, and M. Palaniswami, "Internet of Things (IoT): A vision, architectural elements, and future directions," *Future Gener. Comput. Syst.* **29**, 1645–1660 (2013).
- [23] E. A. Shaban, S. S. Badrakhan, Y. Aldaaja, N. S. Hamdoon, J. Taha, G. Samara, and M. Odeh, "Mathematical analysis of managerial influences on mobile cloud computing," *Appl. Math. Inf. Sci.* **19**, 965–972 (2025).
- [24] O. Vermesan and P. Friess, *Internet of Things – From Research and Innovation to Market Deployment* (River Publishers, Gistrup, Denmark, 2014).
- [25] G. Samara, "Lane prediction optimization in VANET," *Egypt. Inform. J.* **22**, 411–416 (2021).
- [26] G. Samara and W. A. A. Alsalihi, "A new security mechanism for vehicular communication networks," in *Proc. 2012 Int. Conf. Cyber Security, Cyber Warfare and Digital Forensic (CyberSec)*, 18–22 (2012).
- [27] N. Al-Ramahi, M. Odeh, I. Khanfar, N. Qoazmar, A. Hamdan, H. Alsabatin, and M. Kanan, "The effects of innovative technology on quality assurance in higher education institutions in developing countries: A case study of Jordan," in *Intelligent Systems, Business, and Innovation Research*, 253–263 (Springer Nature Switzerland, Cham, 2024).
- [28] M. Yousef, "Effect of Covid-19 on the electronic payment system: Usage level trust and competence perspectives," *Indones. J. Electr. Eng. Comput. Sci.* (2021).
- [29] H. A. Shehadeh, I. H. Jebri, G. M. Jaradat, D. Ibrahim, R. Sihwail, H. Al Hamad, S.-C. Chu, and M. A. Alia, "Intelligent Diagnostic Prediction and Classification System for Parkinson's Disease by Incorporating Sperm Swarm Optimization (SSO) and Density-Based Feature Selection Methods," *Int. J. Adv. Soft Comput. Appl.* **15**, 113–132 (2023).
- [30] T. G. Kanan and M. Hamza, "AI-Driven Fake News Detection Using Multimodal Features and Hybrid Deep Learning Models," *Int. J. Adv. Soft Comput. Appl.* **18** (2026).



Feras Al-Mashakbah is an Associate Professor of Artificial Intelligence at Jerash University. He received his Ph.D. in Computer Information Systems/Artificial Intelligence in 2009. He has 15 years of teaching experience and has published 30 scientific research publications in international peer-reviewed journals and conferences. He is also an editorial board member of three international peer-reviewed journals.



Ayman Ali Ghaben is an Assistant Professor in the Department of Cybersecurity, Faculty of Information Systems, at Amman Arab University, Jordan. He received his Ph.D. in Cybersecurity from Universiti Sains Malaysia in 2023, his M.Sc. in Computer Information Systems from the University of Banking and Financial Sciences in 2005, and his B.Sc. in Computer Science from Mu'tah University in 1997. His research interests include cybersecurity, DDoS attack detection, IoT, big data analytics, machine learning, and data analysis. He has published research in several international journals in these areas.



Eman Al Mashagbah is an Assistant Professor of Artificial Intelligence at Philadelphia University. She received her Ph.D. in Computer Information Systems/Artificial Intelligence in 2011. She has 12 years of teaching experience and has published 10 scientific research publications in international peer-reviewed journals and conferences. She is also an editorial board member of two international peer-reviewed journals.



Mahmoud E. Farfoura is an Assistant Professor in the Department of Cybersecurity, Faculty of Science and Information Technology, Al-Zaytoonah University of Jordan, Amman, Jordan. He received his Ph.D. in Information Security from the National

Taiwan University of Science and Technology, Taipei, Taiwan, in 2013. He received his M.Sc. in Computer Science from Al-Balqa'a Applied University, Jordan, in 2006, and his B.Sc. in Computer Science from Princess Sumaya University for Technology, Jordan, in 1998. His research interests include information security, digital watermarking, cryptography, image and video processing, IoT threat detection, and machine learning applications. He has extensive academic and industrial experience, including work as a Senior Data Scientist, Project Manager, and System Analyst.



Mahmoud Odeh is an Associate Professor at Zarqa University. He completed his higher education and Ph.D. studies at Reading and Coventry University, UK. He has more than 15 years of experience in both practical and academic fields and holds 56 international certificates in servers, computer

virtualization, smart machine simulation, and cloud computing. His current research primarily focuses on cloud computing and the implementation of innovative technologies.



Ghassan Samara is a Full Professor in the Department of Computer Science, Faculty of Information Technology, Zarqa University, Jordan. He received his Ph.D. degree in Computer Networks from Universiti Sains Malaysia (USM). His research interests

include computer networks, Internet of Things (IoT), vehicular ad hoc networks (VANETs), wireless sensor networks, cloud, fog and edge computing, network security, data privacy, cryptography, and intelligent systems. He has published numerous research articles in international journals and conferences.



Mehmet Özdemir holds B.Sc. and M.Sc. degrees in Electrical Engineering from METU, Turkey, and a Ph.D. from Syracuse University, USA, along with a Business Management program from the University of Toronto. He gained extensive industry

experience in broadband communications, serving as Vice President of Engineering at CSI, before moving into academia. He taught at the University of Ontario and Istanbul Sehir University, where he chaired the Electrical Engineering Department. Currently, he is a Full Professor and Chair of the Artificial Intelligence Engineering Department at Istanbul Medipol University. His research interests include secure wireless communications, 5G algorithms, AI in communication systems, and odor sensing. He also represents Turkey in the COST Action INTERACT initiative.