

Construction of New Quantum Color Codes

Avaz Naghipour^{1,*} and Duc Manh Nguyen²

¹ Department of Computer Engineering, University College of Nabi Akram, Tabriz, Iran

² Quantum Algorithm Engineer, Qunova Computing, Korea

Received: 2 Sep. 2022, Revised: 12 Oct. 2022, Accepted: 18 Nov. 2022

Published online: 1 Dec. 2022

Abstract: The theory of error-correcting codes is one of the most important issues of quantum computation and quantum information. One of the most useful techniques for reducing the effects of noise is the use of the quantum error correction codes. This paper presents a hyperbolic geometry approach to the construction of new quantum color codes. The families of quantum color codes are constructed based on the identification of compact surfaces by hyperbolic tessellations. Codes of these families have 4 and 6 minimum distances and their encoding rate is near to 1. We also provide some quantum color codes with minimum distance of at least eight and a comparison table of quantum codes.

Keywords: quantum color codes; compact surfaces; hyperbolic geometry; tessellations

1 Introduction

Over the past 60 years, digital communication has had a substantial and a growing influence on society. Information theory is the principal foundation of modern digital communication. It provides a theoretical basis for lossless source, lossy source coding and channel coding. Since the inception of information theory with Shannon's ground breaking work [1], there has been a large volume of practical and theoretical research aimed at achieving capacity bounds for various types of information sources and communication channels. After providing error-correcting codes with a transmission rate less than the channel capacity by Shannon, many efforts were made to achieve the optimal codes and known codes such as Hamming codes, Golay codes, Reed-Muller codes, convolutional codes, BCH codes, Reed-Solomon codes, turbo codes, and finally Low Density Parity Check (LDPC) codes were introduced. In addition to extensive research on classical codes, the problem of constructing quantum error-correcting codes (quantum codes, for short) has motivated considerable interest in the literature. This problem was raised within the context of quantum computation and quantum information. Since the initial discovery of quantum code by Shor [2], much progress has been made in the development of quantum codes in Engineering [3] and Physics [4]. Over the last two decades, different types of quantum codes have been

constructed from classical error-correcting code [5], which can be referred to Kitaev's toric code [6], color codes [7], surface codes [8], toric quantum codes [9] and others [10,11,12,13]. Also in the last two years, some binary quantum codes have been constructed in several ways (for instance [14,15,16,17]). According to the advances made in quantum science, researchers have conducted valuable research on quantum-molecular computing in [18,19,20,21].

The aim of this paper is to provide the families of quantum color codes on compact surfaces with genus greater than or equal to 21. Such quantum codes are associated with identification of these surfaces with hyperbolic tessellations and hyperbolic polygons by pairing the edges. For these quantum codes, the encoding rate is such that $\frac{k}{n}$ tends 1 as n goes to infinity. Moreover, a table of quantum codes which are different parameters in relation to the classes previously presented in [12,13,17], among others is presented.

The structure of this paper is as follows: In Section 2, we focus our attention on preliminaries. Section 3 is related to present families of quantum color codes with distances $d_{min} = 4, 6$ and $d_{min} = 8, 10, 12, 18$. In Section 4, a table of quantum codes comparison is presented. Finally, Section 5 is devoted to conclusion.

* Corresponding author e-mail: naghipour@ucna.ac.ir

2 Preliminaries

In this section, we give some preliminaries such as quantum mechanics and hyperbolic geometry used through the paper. For further information about these concepts, the reader is referred to Refs. [12,13,22,23].

2.1 Review of quantum mechanics on qubits

In the classical physical world, the bit is the fundamental concept of classical computation and information. In quantum computation and quantum information bits are replaced with quantum bits, or qubits for short. Two possible states of a physical system (e.g. charge or no charge) are the states $|0\rangle$ and $|1\rangle$, which correspond to the states 0 and 1 for a classical bit. These two states are known as computational basis states. The difference between bits and qubits is that a qubit can be in a linear combination or superposition of the two states $|0\rangle$ and $|1\rangle$ as:

$$|\psi\rangle = \alpha|0\rangle + \beta|1\rangle \quad (\alpha, \beta \in \mathbb{C}, |\alpha|^2 + |\beta|^2 = 1). \quad (1)$$

In other words, the state of a qubit is a vector in a two-dimensional complex vector space. For example, a qubit can be in the state:

$$|\psi_1\rangle = \frac{1}{\sqrt{2}}|0\rangle + \frac{1}{\sqrt{2}}|1\rangle, \quad (2)$$

So a qubit can exist in a *continuum* of states between $|0\rangle$ and $|1\rangle$.

2.2 Quantum stabilizer codes

We recall quantum stabilizer codes. More detailed information on stabilizer codes may be found in Refs. [24,25]. A quantum codes defined on the complex Hilbert space $\mathcal{H}_2^{\otimes n}$ where $\mathcal{H}_2 = \mathbb{C}^2$ is the two dimensional complex Hilbert space (the unit sphere of \mathcal{H}_2 represents the state space of a qubit). A quantum codes, \mathcal{C} with codeword length n , dimension k , and minimum distance d is denoted by $[[n, k, d]]$. Such a code is able to correct all errors up to $\lfloor \frac{d-1}{2} \rfloor$.

A stabilizer code \mathcal{C} is the simultaneous eigenspace, with eigenvalue $+1$, of all the elements of an Abelian subgroup \mathcal{S} of the Pauli group \mathcal{G}_n on n qubits, called stabilizer group. The elements of \mathcal{S} are called stabilizer operators. The Pauli group for one qubit is defined to consist of all Pauli matrices, together with multiplicative factors $\pm 1, \pm i$:

$$\mathcal{G}_1 = \{\pm I, \pm iI, \pm X, \pm iX, \pm Y, \pm iY, \pm Z, \pm iZ\} \quad (3)$$

where X, Y and Z are the usual Pauli matrices and I is the

identity matrix. The set of matrices \mathcal{G}_1 forms a group under the operation of matrix multiplication. In general, group \mathcal{G}_n consists of all tensor products of Pauli matrices on n qubits again with multiplicative factors $\pm 1, \pm i$.

Thus, the stabilizer code \mathcal{C} is defined as $\mathcal{C} = \{|\psi\rangle : s|\psi\rangle = |\psi\rangle, \forall s \in \mathcal{S}\}$, [26]. This code, encodes k logical qubits into n physical qubits. The rate of such code is $\frac{k}{n}$. Since the code space has dimension 2^k , we can encode k qubits into it. The stabilizer \mathcal{S} has a minimal representation in terms of $n - k$ independent generators $\{g_1, \dots, g_{n-k} \mid \forall i \in \{1, \dots, n - k\}, g_i \in \mathcal{S}\}$. The generators are independent in the sense that none of them is a product of any other two (up to a global phase).

Just as in the classical case, there are two bounds which have been established as necessary conditions for quantum codes.

Lemma 2.1.(quantum Hamming bound for binary case [5]) For any pure quantum stabilizer code $[[n, k, d]]_2$, we have the following inequality

$$\sum_{j=0}^{\lfloor \frac{d-1}{2} \rfloor} \binom{n}{j} 3^j 2^k \leq 2^n. \quad (4)$$

Lemma 2.2.(quantum Singleton bound [5]) For any quantum stabilizer code $[[n, k, d]]_q$, we have

$$n \geq k + 2d - 2. \quad (5)$$

A quantum code that achieves this bound is called a quantum maximum-distance-separable (MDS) code. The quantum codes constructed in this paper satisfy the above two bounds.

2.3 CSS codes

The family of CSS (Calderbank-Shor-Steane) codes relies on classical and quantum codes [11,24]. A CSS code of length n is defined by two parity check matrices H_1 and H_2 such that $H_1 H_2^T = 0$. Denote by C_1 the kernel of the matrix H_1 and denote by C_2 the kernel of the matrix H_2 . Then the stabilizer code with binary check in the form:

$$A = \begin{pmatrix} H_1 & 0 \\ 0 & H_2 \end{pmatrix}, \quad (6)$$

is a quantum code with parameters $[[n, k, d_{\min}]]$, where

$$k = n - \text{rank} H_1 - \text{rank} H_2 \quad (7)$$

and

$$d_{\min} = \min\{\text{wt}(c) : c \in (C_2 \setminus C_1^\perp) \cup (C_1 \setminus C_2^\perp)\}. \quad (8)$$

where $wt(c)$ is the weight of the codeword c .

Notice that

$$C_1^\perp = \{y \in \mathbb{Z}_2^n : y \cdot x = 0, \forall x \in C_1\}. \quad (9)$$

The $\frac{k}{n}$ -ratio, which is called the code *rate*, is denoted by R_c . This ratio gives a measure of the cost of error correction. Note that $R_c < 1$. The greater R_c is, the more efficient the code is.

2.4 Surface codes

Let $G = (V, E, F)$ be a tiling whose (V, E) is a graph and F is the set of faces defined by the embedding of (V, E) in a compact surface without overlapping edges. The surface code associated with a tiling $G = (V, E, F)$ is the CSS code defined by two \mathbb{Z}_2 matrices H_X and H_Z such that $H_X H_Z^T = 0$, where H_X is the vertex-edge incidence matrix and H_Z is the face-edge incidence matrix. These codes have parameters $[[n, k, d_{min}]]$, where k information qubits are encoded into n physical qubits with minimum distance d_{min} . A quantum code with minimum distance d_{min} can correct all errors up to $\lfloor \frac{d_{min}-1}{2} \rfloor$ qubits.

2.5 Color codes

In this section, we recall the quantum color codes introduced by Bombin and Martin-Delgado in [7,27]. A color code is the CSS code defined by the matrices $H_X = H_Z = H \in \mathcal{M}_{|F|,|V|}(\mathbb{Z}_2)$ such that $H_{i,j} = 1$ if the face f_i includes the vertex v_j . Note that $V = \{v_i\}_{i=1}^{|V|}$ and $F = \{f_i\}_{i=1}^{|F|}$ are the vertices and the faces of the tiling G respectively. Here, assume that the tiling $G = (V, E, F)$ is trivalent, that is every vertex has third degree and the faces of the G can be 3-colored so that two faces that share a common edge do not wear the same color.

In the color codes, unlike in the surface codes the qubits are replaced by vertices instead of the edges and the generators of the stabilizers are the face operators. Given a face $f \in F$, the face operator B_f^σ is defined as the tensor product $\sigma_i, i \in F$ with $\sigma = X, Z$. Equivalently,

$$B_f^\sigma = \bigotimes_{i \in F} \sigma_i \quad \sigma = X, Z$$

The color code \mathcal{C} contains the space defined by the operator B_f^σ as follows:

$$\mathcal{C} = \{|\psi\rangle : B_f^X |\psi\rangle = |\psi\rangle, B_f^Z |\psi\rangle = |\psi\rangle\}$$

The length of the color code associated with G is $n = |V|$, and its dimension is $4 - 2\mathcal{X}$. The \mathcal{X} denotes the Euler characteristic of the surface. When the tiling is orientable,

the dimension of the color code is $k = 4g$, where g is the genus. The minimum distance of the color code will be the minimum weight of a vector x in $C \setminus C^\perp$. The code $\text{Ker}H$ is denoted by C .

In this paper n is the code length, and d_{min} is the minimum distance of the code.

In order to calculate these parameters, we present some basic concepts of hyperbolic geometry. More information on hyperbolic geometry and shrunk lattices may be found in Refs. [7], [12,13,22,23].

Definition 2.1. A hyperbolic polygon P with p edges is a convex closed set consisting of p hyperbolic geodesic segments.

Definition 2.2. A regular tessellation of the hyperbolic plane is a covering of the whole plane by regular polygons, all with the same number of edges, without superposition of such polygons, subject to the constraint that they meet either only at its edges or its vertices.

A regular tessellation is denoted by $\{p, q\}$, where q regular polygons with p edges meet in each vertex. In particular, if $p = q$ the tessellation is said to be self-dual.

Consider a fundamental polygon P' that generates a g -torus. Every possible tiling $\{p, q\}$ of P' satisfies the following equation:

$$\mu(P') = n_f \mu(P), \quad (10)$$

In (2.10) $\mu(P')$ denotes the area of P' , $\mu(P)$ denotes the area of the polygon with p edges associated with the tiling $\{p, q\}$, and n_f is a positive integer which denotes the number of faces of the tessellation $\{p, q\}$. The n_f is given by, [12],

$$n_f = \frac{4q(g-1)}{pq-2p-2q}. \quad (11)$$

Here, the length of the code is $n = |V| = n_f \frac{p}{q}$ edges, or qubits.

For a fundamental polygon of $\{4g, 4g\}$, the hyperbolic distance d_h between paired sides is calculated as follows, [23],

$$d_h = 2 \text{arccosh} \left[\frac{\cos(\pi/4g)}{\sin(\pi/4g)} \right], \quad (12)$$

Let $l(p, q)$ denote the hyperbolic length of each edge of a tessellation $\{p, q\}$, thus we have, [23],

$$l(p, q) = \text{arccosh} \left[\frac{\cos^2(\pi/q) + \cos(2\pi/p)}{\sin^2(\pi/q)} \right]. \quad (13)$$

Given a regular polygon of $\{p, q\}$, the diameter of its circumscribed circle and an upper bound for an edge of the

shrunk lattice are written, respectively as, [13],

$$D(p, q) = 2\text{arccosh}\left[\frac{\cos(\pi/p)\cos(\pi/q)}{\sin(\pi/p)\sin(\pi/q)}\right], \quad (14)$$

and

$$L(p, q) = l(p, q) + D(p, q). \quad (15)$$

Also, a lower bound for the number of the reduced network edges in a non-trivial homology cycle belonging to a shrunk lattice is given as follows, [13],

$$n_e > \frac{d_h}{L(p, q)}, \quad (16)$$

Then, the minimum distance of the code is calculated as follows, [13],

$$d_{\min} = 2\left\lceil \frac{d_h}{L(p, q)} \right\rceil. \quad (17)$$

3 Construction of quantum color codes

In this section, new families of quantum color codes from tiling the fundamental polygon P_{4g} by the tessellations $\{\frac{3g+57}{10}, 3\}$ and $\{\frac{g+59}{10}, 3\}$, where $g = 11 + 10m, m \geq 3$ are presented.

3.1 Quantum color codes from the tessellation $\{\frac{3g+57}{10}, 3\}$

In this section we present new quantum color codes generated by the approach of Section 2 on compact surfaces of genus $g \geq 41$. For this purpose by considering $q = 3$ and substituting this value in (2.11) for the 41-torus, we have

$$n_f = \frac{480}{p-6}; p > 6, \quad (18)$$

For polygon P_{164} associated with the tessellation $\{18, 3\}$ with the corresponding edge-pairings, using (2.13) and (2.14), we have

$$l(18, 3) = \text{arccosh}\left[\frac{\cos^2(\pi/3) + \cos(2\pi/18)}{\sin^2(\pi/3)}\right] \approx 1.04,$$

and

$$D(18, 3) = 2\text{arccosh}\left[\frac{\cos(\pi/18)\cos(\pi/3)}{\sin(\pi/18)\sin(\pi/3)}\right] \approx 3.71,$$

Thus, by (2.15),

$$L(18, 3) = l(18, 3) + D(18, 3) \approx 4.75.$$

Therefore, by using (2.17) the minimum distance of the code is calculated as

$$d_{\min} = 2\left\lceil \frac{d_h}{L(18, 3)} \right\rceil = 2\left\lceil \frac{9.29}{4.75} \right\rceil \approx 4.$$

Hence, the quantum color code with parameters $[[240, 164, 4]]$ is constructed.

Now, using a fundamental polygon of $\{4g, 4g\}$ with the corresponding edge-pairings, the quantum color codes will be constructed as follows.

As observed, for the minimum distance $d_{\min} = 4$ there are 40 faces of the tessellation. Thus, by using (2.11) with $n_f = 40$ and $q = 3$, we have

$$n_f = \frac{12(g-1)}{p-6}, \quad (19)$$

It follows that

$$10p = 3g + 57. \quad (20)$$

The length of the code is $n = n_f \frac{p}{q}$. Therefore the quantum color codes with parameters $[[4g + 76, 4g, 4]]$, for $g = 11 + 10m, m = 3, 5, 7, \dots, 2^{30} - 1$ are obtained. For these quantum color codes, the rate is near to 1.

3.2 Quantum color codes from the tessellation $\{\frac{g+59}{10}, 3\}$

Our aim in this section is to provide the quantum color codes based on identification of compact surfaces with hyperbolic tessellations.

In order to construct new quantum color codes, by considering $q = 3$ and substituting this value in (2.11) for the 41-torus, we have

$$n_f = \frac{480}{p-6}; p > 6, \quad (21)$$

For polygon P_{164} associated with the tessellation $\{10, 3\}$ with the corresponding edge-pairings, using (2.13) and (2.14), we have

$$l(10, 3) = \text{arccosh}\left[\frac{\cos^2(\pi/3) + \cos(2\pi/10)}{\sin^2(\pi/3)}\right] \approx 0.88,$$

and

$$D(10, 3) = 2\text{arccosh}\left[\frac{\cos(\pi/10)\cos(\pi/3)}{\sin(\pi/10)\sin(\pi/3)}\right] \approx 2.33,$$

Thus, by (2.15),

$$L(10, 3) = l(10, 3) + D(10, 3) \approx 3.21.$$

Therefore, by using (2.17) the minimum distance of the code is calculated as

$$d_{\min} = 2\left\lceil \frac{d_h}{L(10, 3)} \right\rceil = 2\left\lceil \frac{9.29}{3.21} \right\rceil \approx 6.$$

Hence, the quantum color code with parameters $[[400, 164, 6]]$ is obtained.

Now, using a fundamental polygon of $\{4g, 4g\}$ with the corresponding edge-pairings, the quantum color codes will be constructed as follows.

As mentioned previously, for the minimum distance $d_{\min} = 6$ there are 120 faces of the tessellation. Thus, by considering $n_f = 120$ and $q = 3$, and substituting these values in (2.11), we have

$$n_f = \frac{12(g-1)}{p-6}, \quad (22)$$

It follows that

$$10p = g + 59. \quad (23)$$

The length of the code is $n = n_f \frac{p}{q}$. Therefore the quantum color codes with parameters $[[4g + 236, 4g, 6]]$, for $g = 11 + 10m, m = 3, 5, 7, \dots, 49$ are obtained. Also, according to the above explanation the quantum color codes from the tessellation $\{\frac{g+59}{10}, 3\}$ and $n_f = 120$ with parameters $[[4g + 236, 4g, 4]]$, for $g = 11 + 10m, m = 51, 53, 55, \dots, 1199$ are obtained. For these quantum color codes, the rate is near to 1.

In Table 1 some quantum color codes generated by the above method, on compact surfaces for $g = 21, 41, 121, 1021, 9021$ are provided.

Table 1: Some quantum color codes with $d_{\min} = 6, 8, 10, 12, 18$

| g | $\{p, q\}$ | n_f | $[[n, k, d_{\min}]]$ |
|------|-------------|-------|-------------------------|
| 21 | $\{12, 3\}$ | 40 | $[[160, 84, 6]]$ |
| 21 | $\{8, 3\}$ | 120 | $[[320, 84, 8]]$ |
| 41 | $\{8, 3\}$ | 240 | $[[640, 164, 8]]$ |
| 121 | $\{8, 3\}$ | 720 | $[[1920, 484, 10]]$ |
| 1021 | $\{8, 3\}$ | 6120 | $[[16320, 4084, 12]]$ |
| 9021 | $\{8, 3\}$ | 54120 | $[[144320, 36084, 18]]$ |

Figure 1, illustrates the polygon P_8 based on the tessellation $\{8, 3\}$ with the corresponding edge-pairings.

For tessellation $\{8, 3\}$ with $g = 2$ using (2.11) we have $n_f = 6$ and $n = 16$. From (2.17), it can be shown that the code distance is $d_{\min} = 4$. Hence, we obtain a code with parameters $[[16, 8, 4]]$.

3.3 Motivation

According to the study of the papers published in Res. [8,12,13], and the review of the constructed codes, we decided to be able to construct quantum codes with minimum distances of 4 (different from other references), 6 and larger with different tessellations. The advantage of the results obtained in this paper is to produce new




Fig. 1: A 8-gon ($g = 2$) surface by the tessellation $\{8, 3\}$ with the corresponding edge-pairings

quantum MDS codes and we also construct many new quantum codes with good parameters. The structure of these codes may be guaranteed a set of transversal or constant-depth logical gates. In the manuscript, we have added more examples and compared quantum code parameters with the known quantum codes parameters given in the online quantum codes database (<http://codetables.markus-grassl.de/>). We provide all quantum code parameters in Table 2.

3.4 Main contributions

The main contributions of this paper are the following:

1. A family of quantum color codes with parameters $[[76 + 4s, 4s, 4]]$, ($s = 11 + 10m, m = 3, 5, \dots, 2^{30} - 1$) were reported (by tessellation $\{\frac{3g+57}{10}, 3\}$).
2. A family of quantum color codes with parameters $[[236 + 4s, 4s, 6]]$, ($s = 11 + 10m, m = 3, 5, \dots, 49$) were discovered (by tessellation $\{\frac{g+59}{10}, 3\}$).
3. A family of quantum color codes with parameters $[[236 + 4s, 4s, 4]]$, ($s = 11 + 10m, m = 51, 53, \dots, 1199$) were discovered (by tessellation $\{\frac{g+59}{10}, 3\}$).

These quantum codes are obtained using new and different tessellations from other references.

4 Table of quantum codes comparison

In this section, we present a table of quantum codes which is compared with known classes of quantum codes.

Remark. A list of quantum codes is given in Table 2. The first column shows the value of the length of quantum code. The second column shows the value of k . The third column shows the minimum distance of code. The fourth column shows a list of the quantum codes. All the new quantum color codes are labeled by l in below table. The length of quantum codes having the highest rate $\frac{k}{n}$ is labeled by u .

Table 2: Quantum codes $[[n, k, d_{min}]]$

| n | k | d_{min} | $[[n, k, d_{min}]]$ |
|--------------------|-----|-----------|--|
| $2r^2$ | 2 | r | $[[2r^2, 2, r]], (r \geq 3)$ [6] |
| $(\frac{3}{2})r^2$ | 2 | r | $[[(\frac{3}{2})r^2, 2, r]], r = 2m(m \geq 2)$ [11] |
| r^2 | 2 | r | $[[r^2, 2, r]], r = 2m(m \geq 2)$ [9] |
| $r^2 + 1$ | 2 | r | $[[r^2 + 1, 2, r]], r = 2m + 1(m \geq 1)$ [8] |
| $8 + 4s$ | 4s | 4 | $[[8 + 4s, 4s, 4]], (s \geq 2)$ [13] |
| $76 + 4s$ | 4s | 4 | $l[[76 + 4s, 4s, 4]], (s = 11 + 10m, m = 3, 5, \dots, 2^{30} - 1)$ |
| $236 + 4s$ | 4s | 6 | $l[[236 + 4s, 4s, 6]], (s = 11 + 10m, m = 3, 5, \dots, 49)$ |
| $236 + 4s$ | 4s | 4 | $l[[236 + 4s, 4s, 4]], (s = 11 + 10m, m = 51, 53, \dots, 1199)$ |

5 Conclusion

In this paper we have introduced families of quantum color codes on compact surfaces based on identifying these surfaces with hyperbolic tessellations. For these quantum color codes the encoding rate is such that $\frac{k}{n} \rightarrow 1$ as $n \rightarrow \infty$. These quantum color codes are new in the sense that their parameters are not covered by the codes available in the literatures. An interesting problem is to find new quantum color codes with minimum distance greater than or equal to 19, which we will do in the future.

Acknowledgements Thank you for all people who helped us with this research and its hard way.

Declaration of interests The authors of this paper confirm that the work is original, and all authors have had enough contribution to the research. The authors certify that they have NO affiliations with or involvement in any organization or entity with any financial interest (such as honoraria; educational grants; participation in speakers' bureaus; membership, employment, consultancies, stock ownership, or other equity interest; and expert testimony or patent-licensing arrangements), or non-financial interest (such as personal or professional relationships, affiliations, knowledge or beliefs) in the subject matter or materials discussed in this paper. The authors further declare that there are no conflicts of interest regarding the publication of this paper.

References

- [1] C. Shannon, A Mathematical Theory of Communications, *Bell Systems Tech. J.*, **27(3)**, 379-423, 1948.
- [2] P. W. Shor, Scheme for Reducing Decoherence in Quantum Computer Memory, *Phys. Rev. A*, **52(4)**, 2493-2496.
- [3] D. Bacon, S. T. Flammia, A. W. Harrow and J. Shi, Sparse Quantum Codes from Quantum Circuits, *IEEE Trans. Inform. Theory*, **63(4)**, 2464-2479, 2017.
- [4] D. Nigg, M. Muller, E. A. Martinez, P. Schindler, M. Hennrich, T. Monz, M. A. Martin-Delgado and R. Blatt, Quantum Computations on a Topologically Encoded Qubit, *Science*, **345(6194)**, 302-305, 2014.
- [5] A. R. Calderbank, E. Rains, P. W. Shor and N. Sloane, Quantum Error Correction via Codes over GF(4), *IEEE Trans. Inform. Theory*, **44(4)**, 1369-1387, 1998.
- [6] A. Yu. Kitaev, Fault-Tolerant Quantum Computation by Anyons, *Annals of Physics*, **303(1)**, 2-30, 2003.
- [7] H. Bombin and M. A. Martin-Delgado, Topological Quantum Distillation, *Phys. Rev. Lett.*, **97(18)**, 180501-180504, 2006.
- [8] H. Bombin and M. A. Martin-Delgado, Homological Error Correction: Classical and Quantum Codes, *J. Math. Phys.*, **48**, 052105, 2007.
- [9] C. D. de Albuquerque, R. P. Junior and E. B. da Silva, Construction of New Toric Quantum Codes, *Contemporary Math.*, **518**, 1-9, 2010.
- [10] D. M. Nguyen and S. Kim, Quantum Stabilizer Codes Construction from Hermitian Self-Orthogonal Codes over GF(4), *Journal of Communications and Networks*, **20(3)**, 309-315, 2018.
- [11] M. Leslie, Hypermap-Homology Quantum Codes, *International Journal of Quantum Information*, **12(01)**, 1430001-1430040, 2014.
- [12] C. D. de Albuquerque, R. Palazzo Jr. and E. B. da Silva, Families of Classes of Topological Quantum Codes from Tessellations $\{4i + 2, 2i + 1\}$, $\{4i, 4i\}$, $\{8i - 4, 4\}$ and $\{12i - 6, 3\}$, *Quantum Information and Computation*, **14(15)**, 1424-1440, 2014.
- [13] W. S. Soares Jr. and E. B. da Silva, Hyperbolic Quantum Color Codes, *Quantum Information and Computation*, **18(3)**, 307-318, 2018.
- [14] J. Lv, R. Li and J. Wang, New Binary Quantum Codes Derived from One-Generator Quasi-Cyclic Codes, *IEEE Access*, **7**, 85782 - 85785, 2019.
- [15] J. Wang, R. Li, J. Lv and H. Song, A New Method of Constructing Binary Quantum Codes from Arbitrary Quaternary Linear Codes, *IEEE Communications Letters*, **24(3)**, 472 - 476, 2020.
- [16] J. Lv, R. Li, J. Wang and H. Song, An Explicit Construction of Quantum Stabilizer Codes from Quasi-Cyclic Codes, *IEEE Communications Letters*, **24(5)**, 1067 - 1071, 2020.
- [17] A. Naghipour, Construction of Quantum Codes from New Embeddings of Graphs on Compact Surfaces, *Optical and Quantum Electronics*, **52(40)**, 1-9, 2020.
- [18] R. Wong and W. L. Chang, Quantum Speedup for Protein Structure Prediction, *IEEE Transactions on NanoBioscience*, **20(3)**, 323-330, 2021.

- [19] W. L. Chang, J. C. Chen, W. Y. Chung, C. Y. Hsiao, R. Wong and A. A. Vasilakos, Quantum Speedup and Mathematical Solutions of Implementing Bio-Molecular Solutions for the Independent Set Problem on IBM Quantum Computers, *IEEE Transactions on NanoBioscience*, **20**(3), 354-376, 2021.
- [20] R. Wong and W. L. Chang, Fast Quantum Algorithm for Protein Structure Prediction in Hydrophobic-Hydrophilic Model, *Journal of Parallel and Distributed Computing*, **164**, 178-190, 2022.
- [21] W. L. Chang, W. Y. Chung, C. Y. Hsiao, R. Wong, J. C. Chen, M. Feng and A. A. Vasilakos, Quantum Speedup for Inferring the Value of Each Bit of a Solution State in Unsorted Databases Using a Bio-Molecular Algorithm on IBM Quantum Computers, *IEEE Transactions on NanoBioscience*, **21**(2), 286-293, 2022.
- [22] A. Beardon, The Geometry of Discrete Groups, Springer-Verlag, New York, 1983.
- [23] V. L. Vieira, M. B. Faria and R. Palazzo Jr., Generalized Edge-Pairings for the Family of Hyperbolic Tessellations $\{10\lambda, 2\lambda\}$, *Comp. Appl. Math.*, **35**, 29-43, 2016.
- [24] D. Gottesman, Stabilizer Codes and Quantum Error Correction, www.arxiv.org/abs/quant-ph/9705052, 1997.
- [25] M. A. Nielsen and I. L. Chuang, Quantum Computation and Quantum Information, Cambridge University Press, Cambridge, 2000.
- [26] D. Gottesman, Class of Quantum Error-Correcting Codes Saturating the Quantum Hamming Bound, *Phys. Rev. A*, **54**(3), 1862, 1996.
- [27] H. Bombin and M. A. Martin-Delgado, Topological Quantum Computing and Strongly Correlated Systems, *Revista Espanola de Fisica*, **21**, 31-45, 2007.